

# PageSpeed Insights

## Mobile



METEOR INTEGRATES WITH

**46 / 100** Speed

**!** Should Fix:

### Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://meteor.com/>
- <http://www.meteor.com/>
- <https://www.meteor.com/>

### Leverage browser caching

## Mobile

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://api.segment.io/v1/p> (expiration not specified)
- <https://app-ab16.marketo.com/js/forms2/js/forms2.min.js> (expiration not specified)
- <https://munchkin.marketo.net/munchkin.js> (expiration not specified)
- <https://cdn.optimizely.com/js/2988630057.js> (2 minutes)
- <https://cdn.segment.com/analytics.js/v1/zQx6cQifkTU79E3L0XAnmrEXP2A5bC6r/analytics.min.js> (2 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-MBQ369M> (15 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <https://connect.facebook.net/signals/config/1611018685826606?v=2.7.21> (20 minutes)
- <https://connect.facebook.net/signals/plugins/identity.js?v=2.7.21> (20 minutes)
- <https://platform.twitter.com/widgets.js> (30 minutes)
- <https://static.olark.com/jsclient/loader0.js> (45 minutes)
- [https://www.googleadservices.com/pagead/conversion\\_async.js](https://www.googleadservices.com/pagead/conversion_async.js) (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://static.olark.com/jsclient/app.js> (3 hours)
- <https://js.recurly.com/v4/recurly.js> (4 hours)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

## Mobile

- <https://js.recurly.com/v4/recurly.js>
- <https://app-ab16.marketo.com/js/forms2/js/forms2.min.js>
- [https://d14xs1qewsqjcd.cloudfront.net/2a3ac8bbb4bb8e014c1c2becd38b148d0b9ce5a9.js?meteor\\_js\\_resource=true](https://d14xs1qewsqjcd.cloudfront.net/2a3ac8bbb4bb8e014c1c2becd38b148d0b9ce5a9.js?meteor_js_resource=true)

[Optimize CSS Delivery](#) of the following:

- [https://d14xs1qewsqjcd.cloudfront.net/971cd4307328b8fffa850c714f899f6d5a16a8e3.css?meteor\\_css\\_resource=true](https://d14xs1qewsqjcd.cloudfront.net/971cd4307328b8fffa850c714f899f6d5a16a8e3.css?meteor_css_resource=true)
- [https://d14xs1qewsqjcd.cloudfront.net/d52b71f83535b225dc447f51343edd82929aa1ae.css?meteor\\_css\\_resource=true](https://d14xs1qewsqjcd.cloudfront.net/d52b71f83535b225dc447f51343edd82929aa1ae.css?meteor_css_resource=true)
- <https://maxcdn.bootstrapcdn.com/font-awesome/4.6.2/css/font-awesome.min.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 146.1KiB (32% reduction).

- Compressing <https://d14xs1qewsqjcd.cloudfront.net/assets/bg-header-star.jpg> could save 129.1KiB (36% reduction).
- Compressing <https://d14xs1qewsqjcd.cloudfront.net/assets/bg-gallery-2.png> could save 8.1KiB (12% reduction).
- Compressing <https://www.meteor.com/assets/icon-tour.png> could save 2.6KiB (34% reduction).
- Compressing <https://www.meteor.com/assets/icon-mazda.png> could save 2.4KiB (20% reduction).
- Compressing <https://www.meteor.com/assets/icon-ikea.png> could save 1.4KiB (37% reduction).
- Compressing <https://www.meteor.com/assets/icon-qualco.png> could save 1.3KiB (30% reduction).
- Compressing <https://www.meteor.com/assets/icon-honeywell.png> could save 1.2KiB (34% reduction).

# Mobile

## Consider Fixing:

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 660B (11% reduction).

- Minifying <https://connect.facebook.net/signals/plugins/identity.js?v=2.7.21> could save 660B (11% reduction) after compression.

### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- None of the final above-the-fold content could be rendered even with the full HTML response.

## 4 Passed Rules

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

# Mobile

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

## Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## 83 / 100 User Experience

### Should Fix:

## Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="https://www.keycdn.com">KeyCDN</a>` and 1 others are close to other tap targets.
- The tap target `<a href="/">Home</a>` and 31 others are close to other tap targets.

### 4 Passed Rules

## Avoid plugins

## Mobile

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



**67 / 100** Speed

**!** Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

## Desktop

Your page has 3 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <https://js.recurly.com/v4/recurly.js>
- <https://app-ab16.marketo.com/js/forms2/js/forms2.min.js>
- [https://d14xs1qewsqjcd.cloudfront.net/2a3ac8bbb4bb8e014c1c2becd38b148d0b9ce5a9.js?meteor\\_js\\_resource=true](https://d14xs1qewsqjcd.cloudfront.net/2a3ac8bbb4bb8e014c1c2becd38b148d0b9ce5a9.js?meteor_js_resource=true)

### [Optimize CSS Delivery](#) of the following:

- [https://d14xs1qewsqjcd.cloudfront.net/971cd4307328b8fffa850c714f899f6d5a16a8e3.css?meteor\\_css\\_resource=true](https://d14xs1qewsqjcd.cloudfront.net/971cd4307328b8fffa850c714f899f6d5a16a8e3.css?meteor_css_resource=true)
- [https://d14xs1qewsqjcd.cloudfront.net/d52b71f83535b225dc447f51343edd82929aa1ae.css?meteor\\_css\\_resource=true](https://d14xs1qewsqjcd.cloudfront.net/d52b71f83535b225dc447f51343edd82929aa1ae.css?meteor_css_resource=true)
- <https://maxcdn.bootstrapcdn.com/font-awesome/4.6.2/css/font-awesome.min.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

### [Optimize the following images](#) to reduce their size by 154.4KiB (34% reduction).

- Compressing <https://d14xs1qewsqjcd.cloudfront.net/assets/bg-header-star.jpg> could save 129.1KiB (36% reduction).
- Compressing <https://d14xs1qewsqjcd.cloudfront.net/assets/bg-gallery-2.png> could save 8.1KiB (12% reduction).
- Compressing and resizing <https://www.meteor.com/assets/icon-mazda.png> could save 7.5KiB (60% reduction).
- Compressing and resizing <https://www.meteor.com/assets/icon-tour.png> could save 5KiB (65% reduction).
- Compressing and resizing <https://www.meteor.com/assets/icon-ikea.png> could save 2.2KiB

## Desktop

(56% reduction).

- Compressing <https://www.meteor.com/assets/icon-qualco.png> could save 1.3KiB (30% reduction).
- Compressing <https://www.meteor.com/assets/icon-honeywell.png> could save 1.2KiB (34% reduction).

### Consider Fixing:

#### Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://meteor.com/>
- <http://www.meteor.com/>
- <https://www.meteor.com/>

#### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://api.segment.io/v1/p> (expiration not specified)
- <https://app-ab16.marketo.com/js/forms2/js/forms2.min.js> (expiration not specified)
- <https://munchkin.marketo.net/munchkin.js> (expiration not specified)
- <https://cdn.optimizely.com/js/2988630057.js> (2 minutes)
- <https://cdn.segment.com/analytics.js/v1/zQx6cQifkTU79E3L0XAnmrEXP2A5bC6r/analytics.mi>

## Desktop

- n.js (2 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-MBQ369M> (15 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <https://connect.facebook.net/signals/config/1611018685826606?v=2.7.21> (20 minutes)
- <https://connect.facebook.net/signals/plugins/identity.js?v=2.7.21> (20 minutes)
- <https://platform.twitter.com/widgets.js> (30 minutes)
- <https://static.olark.com/jsclient/loader0.js> (45 minutes)
- [https://www.googleadservices.com/pagead/conversion\\_async.js](https://www.googleadservices.com/pagead/conversion_async.js) (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://static.olark.com/jsclient-bucket2/application2.js?v=1506348325588> (3 hours)
- <https://static.olark.com/jsclient-bucket2/storage.js?v=1506348325588> (3 hours)
- <https://static.olark.com/jsclient/app.js> (3 hours)
- <https://js.recurly.com/v4/recurly.js> (4 hours)

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 660B (11% reduction).

- Minifying <https://connect.facebook.net/signals/plugins/identity.js?v=2.7.21> could save 660B (11% reduction) after compression.

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

## Desktop

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- None of the final above-the-fold content could be rendered even with the full HTML response.



### 4 Passed Rules

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

#### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).